

Smart Controls for Floor Heating Systems



Compliance with standard
CSA-C828-13

OTH3600-GA-ZB Series

Smart thermostat - Zigbee

The OTH3600-GA-ZB is compatible with the GT130 smart gateway. Among other features, it can be programmed (only through the Neviweb® platform) to allow individual temperatures to be set for six periods per day and for each day of the week. Daily and monthly usage can be monitored to help cut down on heating costs.



The thermostat has integral ground fault protection (Class A – GFCI), which can detect 5 mA of current leakage, and is equipped with a terminal for connecting a floor temperature sensor. There is also a built-in ambient sensor which provides room temperature control and the ability to set a maximum/minimum floor temperature.

The OTH3600-GA-ZB also features an auxiliary contact that can be used to control additional heat sources, either by using a slave module for heated floors (TR1310 Series) or a relay and low-voltage transformer for electric heaters.

GT130 Series

Smart Gateway - Zigbee

The GT130 smart gateway provides remote access to all your Neviweb®-compatible products including your Zigbee smart thermostats with the Neviweb® app. The only requirement for the smart gateway is a broadband Internet connection and an open port on a router. Ideal for homes, condos and holiday homes.



Models

Product #	Price	Description	Volts	Amp.	Protection
OTH3600-GA-ZB ¹	220.00	Smart thermostat – Zigbee for floor heating system	120/208/240	15	Class A GFCI 5mA ²
GT130	118.00	Smart gateway that provides remote access to the OTH3600-GA-ZB and OTH4000-ZB	-	-	-
TR1310-120-240GA	143.00	Slave unit	-	-	-

¹ 15' (4.6 m) floor sensor included.

² GFCI: Ground fault circuit interrupter.